

## **GEHR POM-ELS®**

1. Manufacturer	
	GEHR GmbH Casterfeldstraße 172 68219 Mannheim Deutschland Tel. +49 621 8789-0 Fax +49 621 8789-200 Info@gehr.de www.gehr.de
2. Product description	
Article:	Engineering semi-finished product
Abbreviation	POM-ELS
Material characterisation	Thermoplastics
Main components	Polyoxymethylene copolymer (polyacetal copolymer), electrostatic conductive, contains event. pigments, stabilizers and additives
Marking obligation components	no hazardous prep. according to Regulation 1272/2008/EC (CLP)
Classification according REACh	Product/Mixture
3. Product properties	
Form / condition	Rods, sheets / solid
Colour	black

Colour	black	
Odour	·	
Density	1,35 -1,40 g/cm <sup>3</sup>	
Melting temperature	160 – 170 °C	
Thermal decomposition	> 240 °C	
Ignition temperature	320 – 340 °C	
Solubility in water	insoluble	
Risks	no special risks for humans or animals	
Possible decomposition products	secure the contact with acids and acid-forming products	



## 4. Handling and storage

Machining	The product can be machined with standard machinery and tools. Before machining the product should be stored at room tempera- ture 24 h. Evacuate swarf to prevent slipping or tripping. Observe the maximum allowable concentration of dust and formal- dehyd levels on the working area which apply in your country. Wear safety goggles during machining. General dust limit value: Respirable dust (6 mg/m <sup>3</sup> ); Inhalable dust (10 mg/m <sup>3</sup> ).	
Storage	The products shall be stored indoor to keep away from any source of degradation such as sunlight, UV-jets, ionizing radiation, chemicals,	
Safety measures	the general industrial safety measures should be considered. A thermal damage during machining should be avoided.	
5. Fire-fighting measures		
Suitable extinguishing agents	Water, foam, dry chemical, carbon dioxide (CO <sub>2</sub> ).	
Potential combustion products	Carbon dioxide (CO <sub>2</sub> ), carbon monoxide (CO), formaldehyde (CH <sub>2</sub> O). Formation of further decomposition and oxidation products depend upon the fire conditions. Under special fire conditions traces of other toxic substances are possible.	
Special protective equipment	Wear a self-contained breathing apparatus. If exposed to combus- tion fumes bring the victim into fresh air.	
Further information	Dispose of fire debris and contaminated extinguishing water in accordance with official regulations	
6. Disposal considerations		
European waste catalogue	According to the "European Waste Catalogue and Hazardous Waste List" uncontaminated waste from the products is not classi- fied as hazardous. Following code numbers can be used: 070213 + waste plastic from manufacture, formulation, supply	
	<ul> <li>150102 and use of plastics,</li> <li>120105 plastic shavings and turnings</li> <li>57129 other cured waste plastics (Austria)</li> </ul>	
Waste disposal	If recycling is not possible, waste disposal by landfill or incineration in compliance with state and local regulations. The product do not contain pigments or stabilizers based on cad- mium. The product is not biologically degradable, but based on the present state of knowledge no negative effects on the environment may be anticipated.	



## 7. Marking and guidelines

Marking in accordance with EEC guidelines	Not subject to labelling
Other guidelines	-
Transport regulations	Not classified as hazardous good under transport regulations

## 8. Other information

According EG directive 1907/2006/EG (REACh), our products are clearly defined as articles, exempt from registration. The European regulation (EV) about chemicals, which came into force June 1<sup>st</sup> 2007, prescribes Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. According REACh we are manufacturing articles and we are not required to issue MSDS.

All above mentioned information are based according to today's state of knowledge and supply no warranty of quality. Existing laws and regulations have to be observed by the recipient of our products on his own authority.

